

Make It Happen!



BFD Machinery Importing and Exporting Co.,Ltd.

Add: @Room 503 ,North 1 , World Trade Center ,No.127 Wuzhou Road, Yongkang City ,
Zhejiang Province , China 321300

Tex: 0086-579-87266830/87266831/87266832 Fax: 0086-579-87323151

Email: sales01@sevenplustools.com

Mob.:0086-13819909130(Whatsapp/Wechat)



www.sevenplustools.com

BFD Machinery Importing and Exporting Co.,Ltd.



About Us



Make it Happen

As Professional Manufacturer Small tools with Technical Creativity & Elegance

With 30 line workers including 2 profound engineers in R&D and 5 in QC, small team is doing big things . We have been specializing in all kinds of wire tie twister tools since 2005. In 2018 , we upgraded the auto wire twister to Industrial quality for real construction side use .Always better tools – that is the guiding principle, the implementation of which we devote all our competence and creativity to. We develop new tools and optimise existing models to make work even more effective and easier.

As Trustworthy Partner Seriously Reliable

Since 2009,we started to be sourcing agent for some old customers who have hardware & tools chain stores. More than 13 years experience in hand tools , power tools, garden tools and small machinery , we have been cooperating with more than 200 factories all over China . In 2019 , we started buying a share for some hand & power tools factories who used to focus on China domestic market only . By producing reliable product at a very fair cost , we're far more than a partner .

Mission & Values

There are still so many professional manufacturers in tools industry in China who has no foreign sales .We have the responsibility to promote the good products to more foreign markets .

Business is not only business. We're exchanging our background, culture and values. We conduct our business in an outstanding and most helpful way , respect and support universal human rights , diversity , inclusiveness. Be responsible sourcing throughout our supply chain and working together with our own factories or suppliers across these focus areas ensures we're partnering for success, now and into the future.

www.sevenplustools.com



Contents

Tie Twister Tool 03



Torque Wrench 13



Hack Saw 15



Surface Smoothing Kit 19



Air Plaster / Stucco Spray Gun 20



Measuring Wheel 21



www.sevenplustools.com


Auto Wire Tie Twister Tool



- Eliminates the pain out of twisting wires and rebar ties.
- Heavy duty materials to suit construction site uses.
- Spring-loaded return design for quick and efficient twisting .
- A faster way of securing wire at the same time reduces hand fatigue .




Application: Automatic wire twister cuts down wire twisting effort into half .The self -spring action allows you to complete the wire twisting task with one hand.This eliminates finger and hand fatigue .Simply insert the hook into loop,then pull the wire twister .




Upgrade 4 groove Germany quality

INDUSTRIAL




Auto Wire Tie Twister Tool




Part No.	Shaft Type	Handle.D	Total Length	Weight
GAT4	4 groove	30mm	310mm	0.36kgs



Part No.	Shaft Type	Handle.D	Total Length	Weight
AT4	4 groove	30mm	310mm	0.36kgs



Part No.	Shaft Type	Handle.D	Total Length	Weight
AT2	2 groove	30mm	310mm	0.36kgs




Part No.	Shaft Type	Handle.D	Total Length	Weight	Shaft Material
PT2	2 groove	30mm	260mm	0.1kgs	PP



Part No.	Shaft Type	Handle.D	Total Length	Weight	Shaft Material
PTS2	2 groove	30mm	260mm	0.4kgs	Iron



Part No.	Shaft Type	Handle.D	Total Length	Weight
ATS4	4 groove	28mm	200mm	0.23kgs




Part No.	Shaft Type	Handle.D	Total Length	Weight
ATS2	2 groove	28mm	200mm	0.23kgs

Wire Tie Twister Tool

Stainless Steel Handle



SS-07



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Solid Round Head	SS-01	18mm	105mm	250mm	0.3kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Bearing	SS-02	19mm	105mm	230mm	0.1kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Small	SS-03	14mm	100mm	220mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Two Sections	SS-04	18mm	130mm	260mm	0.3kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Feed Through	SS-05	14mm	120mm	280mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Black Square Long Handle	SS-06	14mm	130mm	280mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Square Long Handle	SS-07	14mm	130mm	280mm	0.2kg

Wire Tie Twister Tool

Aluminium Alloy Handle




AA-05



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Imitation Gold	AA-01	18mm	130mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Crank Bar	AA-02	22mm	130mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Crank Bar & Feed Through	AA-03	16mm	110mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Bearing	AA-04	16mm	105mm	250mm	0.1kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Bearing	AA-05	16mm	105mm	250mm	0.1kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Feed Through	AA-06	16mm	120mm	250mm	0.1kg

Wire Tie Twister Tool

Wooden Handle



WH-01

Bearing for better rpm

45# Steel chromed hook,
anti rust,wear resisting

Strong hardwood handle for more
comfortable operation
Surface painting color option:
orange red,nacarat ,original wood color

Wire Tie Twister Tool

PP Handle



PP-05

45# Steel chromed
hook,anti rust,wear
resisting

PP handle enviroment
friendly

Bearing for better rpm



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L. (mm)	Weight (kg)
Orange Colour	WH-01	30mm	105mm	210mm	0.1kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L. (mm)	Weight (kg)
Nacarat Colour	WH-02	30mm	105mm	210mm	0.1kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L. (mm)	Weight (kg)
Original Colour	WH-03	30mm	105mm	210mm	0.1kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L. (mm)	Weight (kg)
Bearing Crank Bar A	WH-04	30mm	105mm	210mm	0.1kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L. (mm)	Weight (kg)
Bearing Crank Bar B	WH-05	30mm	105mm	210mm	0.1kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L. (mm)	Weight (kg)
Red Long Handle	WH-06	30mm	105mm	220mm	0.1kg

45# Steel chromed
hook,anti rust,wear
resisting

PP handle enviroment
friendly

Bearing for better rpm



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L. (mm)	Weight (kg)
Feed Through	PP-01	14mm	130mm	210mm	0.1kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L. (mm)	Weight (kg)
Chromed Hook	PP-02	24mm	105mm	210mm	0.1kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L. (mm)	Weight (kg)
Dipping Black	PP-03	24mm	105mm	210mm	0.1kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L. (mm)	Weight (kg)
Feed Through	PP-04	28mm	100mm	210mm	0.1kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L. (mm)	Weight (kg)
Environmental Friendly	PP-05	28mm	110mm	210mm	0.1kg




Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L. (mm)	Weight (kg)
Heavy	PP-06	28mm	106mm	220mm	0.1kg

Wire Tie Twister Tool 20# Steel Galvanized Handle



SG-03



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Embossing S	SG-01	14mm	95mm	220mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Embossing M	SG-02	16mm	105mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Bare M	SG-03	16mm	105mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Embossing L	SG-04	18mm	105mm	250mm	0.3kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Bearing	SG-05	20mm	105mm	250mm	0.2kg

Wire Tie Twister Tool 20# Steel Feed Through Handle



SF-04



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Chromed L	SF-01	22mm	105mm	230mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Galvanized	SF-02	18mm	120mm	280mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Imitation Gold	SF-03	14mm	130mm	280mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Chromed S	SF-04	14mm	130mm	280mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Chromed M	SF-05	16mm	105mm	250mm	0.2kg




Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Imitation Gold M	SF-06	16mm	105mm	250mm	0.2kg

Wire Tie Twister Tool 40Cr Chromed Handle



CR-02



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Embossing Extended Handle	CR-01	16mm	130mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Embossing	CR-02	16mm	105mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Smooth	CR-03	16mm	105mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Crank Bar	CR-04	16mm	100mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Hexagon Steel	CR-05	18mm	105mm	250mm	0.2kg

Wire Tie Twister Tool 45# Steel 2 Sections Handle



S2-05



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Black Thread	S2-01	16mm	100mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Black Crank Bar	S2-02	16mm	100mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Black Chromed	S2-03	16mm	100mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Chromed	S2-04	16mm	100mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Chromed	S2-05	16mm	100mm	250mm	0.2kg



Product Name	Part No.	Handle.D (mm)	Handle Length (mm)	O.L (mm)	Weight (kg)
Iron	S2-06	20mm	108mm	280mm	0.2kg

Torque Wrench

Mechanical Torque Wrench / Windows Torque Wrench / Digital Torque Wrench



Mechanical Torque Wrench



Features

- 45 teeth reversible ratchet, precise to $\pm 4\%$
- Audible and tactile release mechanism when the set torque value reached
- Oil-proof, lightweight and durable handle
- DIN ISO 6789-1:2017-07 and ASME B107.14 compliant

Part No.	Driver	Torque Range (N.m)	Min. scale value (N.m)	Length (mm)	Weight (kg)	Meas (cm)	G.W./N.W (kgs)	QTY (pcs/ctn)
BFDTW51-02025	1/4"	5-25	0.25	250	0.35	39x21x27	11.8/11	20
BFDTW51-02060	3/8"	10-60	0.50	310	0.47	39x21x27	12.6/12	16
BFDTW51-04210	1/2"	30-210	1.00	490	1.26	56x31x27	26/25	16
BFDTW51-04110	1/2"	10-110	0.50	470	1.17	56x31x27	25.3/25	16

Windows Torque Wrench



Features

- Metric and imperial dual scale design, precise to $\pm 3\%$
- TPR rubber material ergonomic handle suitable for hand use
- 45 teeth reversible ratchet with commutation device
- Audible and tactile release mechanism when the set torque value reached
- DIN ISO 6789-1:2017-07 and ASME B107.14 compliant

Part No.	Driver	Torque Range (N.m)	Min. scale value (N.m)	Length (mm)	Weight (kg)	Meas (cm)	G.W./N.W (kgs)	QTY (pcs/ctn)
BFDTW58-03060	3/8"	10-60	0.50	400	0.86	56x31x27	21.2/20	16
BFDTW58-04200	1/2"	40-200	1.00	495	1.18	56x31x27	25.3/25	16
BFDTW58-04330	1/2"	60-330	1.50	555	1.28	61x31x27	21.8/21	12

Digital Torque Wrench

Features

- PP + TPR material ergonomic handle in line with EU standards
- Support a wide selection of units: N.m, lbf.ft, lbf.in, kgf.cm
- Alarm by LED lights: Green - warning, Red - abort
- 6 sets of preset module settings
- DIN ISO 6789-1:2017-07 and ASME B107.14 compliant



Part No.	BFDTW63-02030	BFDTW63-03060
Operating range	1.5-30N.m	3-60N.m
Connector	1/4"	3/8"
Accuracy: Clockwise	$\pm 2\%$	$\pm 2\%$
Counterclockwise	$\pm 3\%$	$\pm 3\%$
Preset Value Memory Capacity	6	6
Number of ratchet teeth	45teeth	45teeth
Length	215mm	295mm
Weight	0.40kg	0.55kg
Meas.	51x36.5x34cm	51x36.5x34cm
G.W./N.W.	18.5/18kgs	20.6/20kgs
QTY	20pcs/ctn	20pcs/ctn

Digital Torque Wrench

Features

- LCD display shows units: N.m, ft-lb, in-lb, kg-m
- Audible and visual set torque values through the buzzer and LED lights
- 6 sets of preset module settings
- DIN ISO 6789-1:2017-07 and ASME B107.14 compliant



Part No.	BFDTW61-03135	BFDTW61-04200	BFDTW61-04340
Operating range	6.8-135N.m	10-200N.m	17-340N.m
Connector	3/8"	1/2"	1/2"
Accuracy: Clockwise	$\pm 2\%$	$\pm 2\%$	$\pm 2\%$
Counterclockwise	$\pm 3\%$	$\pm 3\%$	$\pm 3\%$
Preset Value Memory Capacity	6	6	6
Number of ratchet teeth	45teeth	45teeth	45teeth
Length	425mm	530mm	660mm
Weight	0.95kg	1.34kg	1.54kg
Meas.	52.5x26x28cm	74x26x21cm	74x26x21cm
G.W./N.W.	8.5/8kgs	14.3/13kgs	15.3/14kgs
QTY	8pcs/ctn	6pcs/ctn	6pcs/ctn

Torque Wrench

Torque Wrench Set



Torque Wrench Set



Accessories

7x1/4" Hexagonal bits: H2-H2.5-H3-H4-H5-H6-H8
6xHexagonal pattern: T10-T15-T20-T25-T27-T30
1x1/4" Extension Bar: 100mm

Part No.	BFDTW51-02025T
Driver	1/4"
Torque Range	5-25N.m
Length	100mm
Weight	0.98kg
Meas.	39x31x27cm
G.W./N.W.	16.7/16kgs
QTY	20pcs/ctn

Torque Wrench Set



Accessories

7x1/4" Hexagonal bits: H2-H2.5-H3-H4-H5-H6-H8
6xHexagonal pattern: T10-T15-T20-T25-T27-T30
2xCross bits: PH1-PH2
5x1/4" Hexagonal sleeve: 6-8-10-12-14
1x1/4" Extension Bar: 100mm

Part No.	BFDTW51-03025T
Driver	1/4"
Torque Range	5-25N.m
Length	100mm
Weight	1.20kg
Meas.	56x31x27cm
G.W./N.W.	22.7/22kgs
QTY	20pcs/ctn

Torque Wrench Set



Accessories

5x1/2" Hexagonal sleeve: 17-19-21-22-23mm
1x1/2" Extension Bar: 125mm


Part No.	BFDTW51-04210T
Driver	1/2"
Torque Range	30-210N.m
Length	125mm
Weight	2.35kg
Meas.	57x42.5x19.5cm
G.W./N.W.	23.2/22kgs
QTY	16pcs/ctn

Hack Saw

Foldable Saw




Folding Saw



Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1820	180	6/5.6	20	34.5x22.5x28.2

Folding Saw




Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1822	180	5.6/5.2	20	35.5x19x28.2

Hack Saw

Hand Saw




Hand Saw




Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1893	400	22/21	60	60x45.8x54
XL-1893	450	23/22	60	60x45.8x59
XL-1893	500	24/23	60	60x45.8x64
XL-1893	550	25/24	60	60x45.8x69
XL-1893	600	26/25	60	60x45.8x74

Hand Saw





Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1904	400	16.5/15.5	10/40	52x30.5x32.5
XL-1904	450	17.5/16.5	10/40	57x30.5x32.5
XL-1904	500	18.5/17.5	10/40	62x31.5x33.5
XL-1904	550	19.5/18.5	10/40	67x30.5x32.5
XL-1904	600	20.5/19.5	10/40	72x30.5x32.5

Hand Saw



Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1930	400	17.5/16.5	10/40	50.5x31.5x33.5
XL-1930	450	18.5/17.5	10/40	55.5x31.5x33.5
XL-1930	500	19.5/18.5	10/40	60.5x31.5x33.5
XL-1930	550	20.5/19.5	10/40	65.5x31.5x33.5
XL-1930	600	21.5/20.5	10/40	70.5x31.5x33.5

Hand Saw



Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1938	400	16.5/15.5	10/40	52x30.5x32.5
XL-1938	450	17.5/16.5	10/40	57x30.5x32.5
XL-1938	500	18.5/17.5	10/40	62x31.5x33.5
XL-1938	550	19.5/18.5	10/40	67x30.5x32.5
XL-1938	600	20.5/19.5	10/40	72x30.5x32.5

Hack Saw


Pruning Saw



Pruning Saw



350 MM **7T inch** **Mn 65** **HRC 50-54** **SK5**




Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1801	350	14/13	10/40	62x31.5x52.5

Pruning Saw



350 MM **7T inch** **Mn 65** **HRC 50-54** **SK5**




Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1802	350	10.2/9.8	20	61x33x35

Pruning Saw



7T inch **Mn 65** **HRC 50-54** **SK5**




Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1807	240	9.1/8.6	20	58.5x31.5x34.5
XL-1807	270	9.3/8.8	20	58.5x31.5x34.5
XL-1807	300	9.5/9	20	58.5x31.5x34.5

Pruning Saw



7T inch **Mn 65** **HRC 50-54** **SK5**



Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1811	240	9.1/8.6	20	58.5x31x36
XL-1811	270	9.3/8.8	20	58.5x31x36
XL-1811	300	9.5/9	20	58.5x31x36

Hack Saw


Back Saw / Wallboard Saw / Concrete Saw



Back Saw



300 MM **11T inch** **Mn 65** **HRC 50-54** **SK5**




Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1942	300	7.5/7	12	41x33.5x46

Wallboard Saw



150 MM **7T inch** **Mn 65** **HRC 50-54** **SK5**



Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1839	150	8.5/8	20/40	39x32.8x32

Wallboard Saw



150 MM **7T inch** **Mn 65** **HRC 50-54** **SK5**




Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1939	150	8/7.5	20/40	36x36x31.5

Concrete Saw



1T inch **Mn 65** **HRC 50-54** **SK5**




Part No.	Length (mm)	G.W/N.W (kgs)	QTY (pcs/ctn)	Meas (cm)
XL-1927	550	12.5/12	12/24	68x31x21
XL-1927	600	13/12.5	12/24	73x31x21
XL-1927	650	13.5/13	12/24	78x31x22
XL-1927	700	14/13.5	12/24	83x31x22

Surface Smoothing Kit



FOUR LENGHTS

Designed for drywall and plaster, the product includes four lengths of skimming blades, which deliver a fast and smooth finish with minimal waste or sanding .



EASY TO CHANGE BLADES

Stainless and flexible as standard blades . 0.35mm thick. Available also stronger blades, 0.5 mm thick.



LIGHT PLASTIC PROFILE

The light and ergonomic profile is a great help, especially for people who coat for several hours a day and on large surfaces.

POSSIBILITY OF USE WITH ADAPTER AND EXTENSION POLE

Compatibility with the adapter that together with an extension pole allows you to reach farther and higher, it gives you greater range and freedom of movement.

DURABLE HARD PLASTIC CASE

Easy transport and protection of tools




Air Plaster /Stucco Spray Gun



Features :

- Air valve controlled switch with valve air tightness technology and no air leak even after thousands of times open and close.
- Disassembled design Air Faucet for convenient maintenance .
- Replaceable High Quality Rubber Nozzle abrasion and corrosion resistant .
- Fatigue Free handle with connection between the hopper and spraying rod for more efficient spraying.



Replaceable High Quality Rubber Nozzle abrasion and corrosion resistant .

Fatigue Free handle with connection between the hopper and spraying rod for more efficient spraying.



	Heavy Duty/PG-01	Light Duty/PG-02	Light Duty / PG-03
Capacity:	4.75 L	4 L	4 L
Efficiency:	50m ² / 6mm / 1person / 1hour	50m ² / 6mm / 1person / 1hour	50m ² / 6mm / 1person / 1hour
Weight:	2.5 kg	2.0 kg	2.0 kg
Number of outlet nozzles:	4	4	4
Nozzle dia.:	17.5mm	18mm	18mm
Compressor efficiency:	350-400 L / min	350-400 L / min	350-400 L / min
Pressure:	4-8 bar	4-6 bar	4-6 bar
Max Size of the sand fraction	6mm	6mm	6mm
Connection dia with air hose:	10-14mm	10-14mm	10-14mm
Measurement:	88x43x47CM	76x47x47CM	76x47x47CM
GW/NW:	15/10kgs	10/8kgs	10/8kgs
Qty:	4sets/ctn	4sets/ctn	4sets/ctn
Qty 20"/40"/40"H:	630/1300/1500pcs	670/1400/1600pcs	670/1400/1600pcs



Measuring Wheel



Part No.	BFDCL-100	BFDCL-101	BFDCL-102
Wheel material:	ABS rubber frame & wear-resistant PU wheel		
Measuring range:	10-9999.99cm(1 inch-9999.11 ft.)		
Accuracy:	±0.5%	±0.5%	±0.5%
Wheel diameter:	31.8cm	31.8cm	31.8cm
Length:	105cm / 57cm folded	105cm / 57cm folded	105cm / 57cm folded
N.W.:	1.80kg	1.45kg	1.45kg

Measuring Wheel



Part No.	BFDCL-103	BFDCL-104	BFDCL-105
Wheel material:	ABS rubber frame & wear-resistant PU wheel		
Measuring range:	10-9999.99cm(1 inch-9999.11 ft.)		
Accuracy:	±0.5%	±0.5%	±0.5%
Wheel diameter:	31.8cm	31.8cm	31.8cm
Length:	105cm / 57cm folded	105cm / 57cm folded	105cm / 57cm folded
N.W.:	1.45kg	1.45kg	1.80kg



Part No.	BFDCL-106	BFDCL-107	BFDCL-108
Wheel material:	ABS rubber frame & wear-resistant PU wheel		
Measuring range:	10-9999.99cm(1 inch-9999.11 ft.)		
Accuracy:	±0.5%	±0.5%	±0.5%
Wheel diameter:	31.8cm	31.8cm	31.8cm
Length:	105cm / 57cm folded	105cm / 57cm folded	105cm / 57cm folded
N.W.:	1.80kg	1.80kg	1.80kg